



SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 1

Compilation date: 16/04/14

Revision date: 27th April 2015

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: VAROL SYSTEM CLEANER

Product code: SLSC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Water miscible machine cleaner

1.3. Details of the supplier of the safety data sheet

Company name: Varol Lubricants

Shelah Rd

Halesowen

West Midlands

B63 3PN

United Kingdom

Tel: +44(0) 121 585 6006

Fax: +44(0) 121 585 5405

Email: datasheets@varol.co.uk

1.4. Emergency telephone number

Emergency tel: +44(0) 121 550 3406

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Sens. 1: H317

Most important adverse effects: Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: H302: Harmful if swallowed.

[cont...]

SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 2

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P261: Avoid breathing vapours.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.

P302+352: IF ON SKIN: Wash with plenty of water/.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instruction on this label).

P330: Rinse mouth.

P337+313: If eye irritation persists: Get medical advice.

P363: Wash contaminated clothing before reuse.

P501: Dispose of contents/container to a registered waste contractor.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-961-6	112-34-5	-	Eye Irrit. 2: H319	1-10%

[cont...]

SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 3

N,N'-METHYLENE BISMORPHOLINE

227-062-3	5625-90-1	-	Acute Tox. 4: H302+332	1-10%
-----------	-----------	---	------------------------	-------

1,3,5-TRIS(2-HYDROXYETHYL)HEXAHYDRO-1,3,5-TRIAZINE

225-208-0	4719-04-4	-	Acute Tox. 4: H302; Skin Sens. 1: H317	1-10%
-----------	-----------	---	--	-------

RAPE OIL REACTION WITH 2'2 IMINODIETHANOL (CLP)

-	-	-	Acute Tox. 4: H302+312+332	1-10%
---	---	---	----------------------------	-------

FUNGICIDE (CLP)

223-296-5	3811-73-2	-	Acute Tox. 4: H302+312+332; Eye Irrit. 2: H319; Aquatic Acute 1: H400	<1%
-----------	-----------	---	---	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately.

Inhalation: Not thought to be a concern. Albeit the user must carry out a risk assesment to determine the level of cutting fluid "mist" in the atmosphere to be within guide limits

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

Inhalation: Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

[cont...]

SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 4

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid release to the environment. Empty containers retain product residue and can be hazardous. Observe good hygiene practices and use a suitable barrier cream at regular intervals.

[cont...]

SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 5

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Water miscible machine cleaner

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

Workplace exposure limits:

Respirable dust

State	Workplace exposure limits:		Respirable dust	
	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	67.5 mg/m ³	101.2 mg/m ³	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure all engineering measures mentioned in section 7 of SDS are in place.
Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: The floor of the storage room must be impermeable to prevent the escape of liquids. Ensure all engineering measures mentioned in section 7 of SDS are in place. Prevent from entering in public sewers or the immediate environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Amber

Odour: Characteristic odour

[cont...]

SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 6

Evaporation rate: No data available

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible

Viscosity: No data available.

Boiling point/range°C: 100

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: >93

Part.coeff. n-octanol/water: No data available

Autoflammability°C: No data available.

Vapour pressure: No data available

Relative density: 1.014

pH: 9.5 @ 5.0%

VOC g/l: No data available

9.2. Other information

Other information: To be mixed with water as recommended in Product data sheet.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Extremes of Temperature

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

[cont...]

SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 7

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

ORL	MUS	LD50	6050	mg/kg
ORL	RAT	LD50	4500	mg/kg

N,N'-METHYLENE BISMORPHOLINE

ORAL	RAT	LD50	550	mg/kg
------	-----	------	-----	-------

1,3,5-TRIS(2-HYDROXYETHYL)HEXAHYDRO-1,3,5-TRIAZINE

ORL	RAT	LD50	763	mg/kg
SKN	RAT	LD50	>2	gm/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

Inhalation: Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: No data available

Section 12: Ecological information

12.1. Toxicity

[cont...]

SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 8

Hazardous ingredients:

N,N'-METHYLENE BISMORPHOLINE

ALGAE	EC50	1-10	mg/l
Fresh	LC50	100-1000	mg/l
Leuciscus idus m.	96H LC50	55	mg/l
Pseudomonas putida	EC10/16hr	55	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Non Recoverable

Waste code number: 12 01 09

Disposal of packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

[cont...]

SAFETY DATA SHEET

VAROL SYSTEM CLEANER

Page: 9

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.
H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.
H302+332: Harmful if swallowed or if inhaled.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H400: Very toxic to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.